

SAFETY DATA SHEET

Issuing Date No data available Revision Date 17-Dec-2018 Revision Number 4



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Gearmate 1000 Arctic

Other means of identification

(M)SDS Number 1377002

Recommended use of the chemical and restrictions on use

Recommended Use For industrial use only

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Identification Whitmore Manufacturing LLC

Address Whitmore Manufacturing

930 Whitmore Drive

Rockwall, Texas USA 75087

Telephone US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108

E-mail Sales@whitmores.com

Emergency telephone number

Company Emergency Phone

1-800-699-6318

Emergency Telephone Number

CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

2. HAZARDS IDENTIFICATION

Classification

Number

Serious eye damage/eye irritation Category 2A

AppearanceDark Gray BlackPhysical stateSemi-SolidOdorPetroleum



GHS Label elements, including precautionary statements

Warning

Hazard statements

Causes serious eye irritation



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear personal protective equipment/face protection

Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Not applicable

Unknown acute toxicity No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

<u>Mixture</u>

Chemical Name	CAS-No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	40-45	-	-
Naphtha (petroleum), heavy aromatic	64742-94-5	5-10	-	-
1-Decene, homopolymer, hydrogenated	68037-01-4	5-10	-	-
Calcium carbonate	471-34-1	5-10	-	-
Petroleum resins	64742-16-1	5-10	-	-
Graphite	7782-42-5	5-10	-	-
Molybdenum (IV) sulfide	1317-33-5	1-5	-	-



Carbon black	1333-86-4	<1.0	-	-

4. FIRST AID MEASURES

First aid measures

General advice IF exposed or concerned: Get medical advice/attention. Immediate medical attention is

required. Show this safety data sheet to the doctor in attendance.

Inhalation If breathing has stopped, give artificial respiration. Get medical attention immediately.

Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate

medical advice/attention. Delayed pulmonary edema may occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash skin with soap and water.

Ingestion Aspiration hazard if swallowed - can enter lungs and cause damage. Do NOT induce

vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Get immediate medical advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as

required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Because of the danger of aspiration, emesis or gastric lavage should not be employed

unless the risk is justified by the presence of additional toxic substances.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting turnout



fire-fighters gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid contact

with skin, eyes or clothing.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Store away from other materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium carbonate	-	TWA: 15 mg/m ³	TWA: 5 mg/m ³ respirable dust
471-34-1		TWA: 5 mg/m ³	TWA: 10 mg/m³ total dust
		(vacated) TWA: 15 mg/m ³	
		(vacated) TWA: 5 mg/m ³	
Graphite	TWA: 2 mg/m³ respirable	TWA: 15 mg/m³ total dust	IDLH: 1250 mg/m ³
7782-42-5	particulate matter all forms	synthetic	TWA: 2.5 mg/m ³ respirable
	except graphite fibers	TWA: 5 mg/m³ respirable	dust
		fraction synthetic	
		(vacated) TWA: 2.5 mg/m ³	
		respirable dust natural	
		(vacated) TWA: 10 mg/m ³ total	



				(vacated) respirable	t synthetic) TWA: 5 mg/m³ fraction synthetic 5 mppcf natural		
1317-33-5		TWA: 10 mg/m³ N particulate r TWA: 3 mg/m³ M particulate r	natter o respirable	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ Mo		II	DLH: 5000 mg/m³ Mo
Carbon black 1333-86-4		TWA: 3 mg/m ³ particulate r			.: 3.5 mg/m³ TWA: 3.5 mg/m³	in	IDLH: 1750 mg/m³ TWA: 3.5 mg/m³ : 0.1 mg/m³ Carbon black presence of Polycyclic natic hydrocarbons PAH
Chemical Name		Alberta	British C	Columbia	Ontario TWAE	V	Quebec
Calcium carbonate 471-34-1	TW	'A: 10 mg/m ³					TWA: 10 mg/m ³
Graphite 7782-42-5	TV	VA: 2 mg/m ³	TWA: 2	2 mg/m³	TWA: 2 mg/m	3	TWA: 2 mg/m ³
Molybdenum (IV) sulfide 1317-33-5		/A: 10 mg/m ³ VA: 3 mg/m ³		3 mg/m³ 0 mg/m³	TWA: 10 mg/m TWA: 3 mg/m		TWA: 10 mg/m ³
Carbon black 1333-86-4	TW	A: 3.5 mg/m ³	TWA: 3	3 mg/m ³	TWA: 3 mg/m	3	TWA: 3.5 mg/m ³

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection Wear suitable gloves.

Skin and body protectionWear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face

protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical stateSemi-SolidAppearanceDark Gray BlackOdorPetroleum

Color No information available

Odor Threshold Not applicable

Property Values Remarks Method

pH UNKNOWN



None known

Melting / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone known

Flash Point 154.44 °C

Evaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability limit No data available

Lower flammability limit No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 1.01

Water Solubility

No data available
Solubility(ies)

No data available

Partition coefficient: n-octanol/water No information available

Partition coefficient: n-octanol/water No information available

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosity52,000-58,000 CPS @ 75-80 °FNone known

Explosive properties No information available Oxidizing properties No information available

Other Information

Softening Point
Molecular Weight
VOC Content (%)
Liquid Density
Bulk Density
Particle Size
Particle Size
No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoidNone known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Not an expected route of exposure.

Eye contact Specific test data for the substance or mixture is not available. May cause redness, itching,

and pain.



Skin contact Repeated exposure may cause skin dryness or cracking. Specific test data for the

substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available. May be fatal if swallowed

and enters airways.

Information on toxicological effects

Symptoms May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 11,321.50 mg/kg

Unknown acute toxicity No information available

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50
Distillates (petroleum),	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	
hydrotreated heavy naphthenic			
Naphtha (petroleum), heavy	> 5000 mg/kg (Rat)	> 2 mL/kg (Rabbit)	> 590 mg/m³ (Rat) 4 h
aromatic		-	-
Calcium carbonate	= 6450 mg/kg (Rat)		
Molybdenum (IV) sulfide			> 2820 mg/m³ (Rat) 4 h
Carbon black	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Irritating to eyes.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity

Legend

No information available.

Reproductive toxicityNo information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

EcotoxicityThe environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Distillates (petroleum),		96h LC50: > 5000 mg/L	-	48h EC50: > 1000 mg/L



hydrotreated heavy naphthenic		(Oncorhynchus mykiss)		
Naphtha (petroleum), heavy aromatic	72h EC50: = 2.5 mg/L (Skeletonema costatum)	96h LC50: = 2.34 mg/L (Oncorhynchus mykiss) 96h LC50: = 45 mg/L (Pimephales promelas) 96h LC50: = 1740 mg/L (Lepomis macrochirus) 96h LC50: = 19 mg/L (Pimephales promelas) 96h LC50: = 41 mg/L (Pimephales promelas)	•	48h EC50: = 0.95 mg/L
1-Decene, homopolymer,		LC50 Rainbow trout:	-	EC50: 190 mg/l (48-hr)
hydrogenated		>1000 mg/L (96-hr)		
Carbon black			-	24h EC50: > 5600 mg/L

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Naphtha (petroleum), heavy aromatic	6.1

Mobility

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Codes 141

14. TRANSPORT INFORMATION

 DOT
 NOT REGULATED

 Proper Shipping Name
 NON-REGULATED

Hazard Class N/A

TDG Not regulated

MEX NOT REGULATED

ICAO NOT REGULATED

IATANot regulatedProper Shipping NameNON REGULATED

IMDG Not regulated



RID NOT REGULATED

ADR NOT REGULATED

ADN NOT REGULATED

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA Complies.
DSL/NDSL Complies.
EINECS/ELINCS Complies.

ENCSContact supplier for inventory compliance status.KECLContact supplier for inventory compliance status.PICCSContact supplier for inventory compliance status.AICSContact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health HazardNoChronic Health HazardNoFire HazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material



US State Regulations

California Proposition 65

This product contains carbon black which is classified as a possible carcinogen when present as respirable dust. This is not relevant for this product since it is not in a respirable form.

Chemical Name	California Proposition 65		
Carbon black - 1333-86-4	Carcinogen		

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5					Х
Calcium carbonate 471-34-1	X				
Graphite 7782-42-5	X	X	Х		
Molybdenum (IV) sulfide 1317-33-5		Х			
Carbon black 1333-86-4	X	Х	Х		Х

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 1 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards * 1 Flammability 1 Physical hazards 0 Personal Protection X

Chronic Hazard Star Legend *= Chronic Health Hazard

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date 17-Dec-2018

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

