

SAFETY DATA SHEET

Issuing Date 28-Apr-2017 Revision Date 24-Aug-2018 Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Medallion FM Grease (All grades)

Other means of identification

(M)SDS Number 1390786

Recommended use of the chemical and restrictions on use

Recommended Use For industrial use only

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Identification Whitmores Manufacturing ,LLC.

Address Whitmore Manufacturing

930 Whitmore Drive

Rockwall, Texas USA 75087

Telephone US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108

E-mail Sales@whitmores.com

Emergency telephone number

Company Emergency Phone

1-800-699-6318

Emergency Telephone Number

CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

2. HAZARDS IDENTIFICATION

Classification

Number

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

Appearance White to off-white Physical state Gel Odor Petroleum



GHS Label elements, including precautionary statements

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood Wear personal protective equipment/face protection

Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical Name	CAS-No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
White mineral oil	8042-47-5	75-80	-	-
Aluminum stearate	637-12-7	5-10	-	-
Limestone	1317-65-3	1-5	-	-
Polyisobutylene	9003-27-4	1-5	-	-
Titanium dioxide	13463-67-7	1-3	-	-
BHT	128-37-0	0.1-1	-	-

4. FIRST AID MEASURES

First aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES



surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits .

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH



White mineral oil	TWA: 5 mg/m ³	inhalable	TW	A: 5 mg/m ³		IDLH: 2500 mg/m ³
8042-47-5	fraction excluding r	netal working	working (vacated) TWA: 5 mg/m ³			TWA: 5 mg/m ³
	fluids, highly & sev	erely refined		,		STEL: 10 mg/m ³
Aluminum stearate	TWA: 1 mg/m ³	respirable		-		-
637-12-7	particulate i	natter				
Limestone	-	-		\: 15 mg/m ³	TWA:	5 mg/m ³ respirable dust
1317-65-3				A: 5 mg/m³		/A: 10 mg/m³ total dust
			(vacated)	TWA: 15 mg/m ³		•
			(vacated) TWA: 5 mg/m ³		
Titanium dioxide	TWA: 10 m	ng/m³	TWA: 15	mg/m³ total dust		IDLH: 5000 mg/m ³
13463-67-7		_	(vacated) TWA: 10 mg/m³ total			-
				dust		
BHT	TWA: 2 mg/m ³	inhalable	(vacated)	TWA: 10 mg/m ³		TWA: 10 mg/m ³
128-37-0	fraction and	vapor				
Chemical Name	Alberta	British C	Columbia	Ontario TWAE	V	Quebec
Aluminum stearate		TWA: 1.	0 mg/m ³	TWA: 1 mg/m ³		
637-12-7			J			
Limestone	TWA: 10 mg/m ³	TWA: 1	0 mg/m³			TWA: 10 mg/m ³
1317-65-3		TWA: 3	3 mg/m ³			
		STEL: 2	0 mg/m ³			
Titanium dioxide	TWA: 10 mg/m ³	TWA: 1	0 mg/m³	TWA: 10 mg/m	1 ³	TWA: 10 mg/m ³
13463-67-7		TWA: 3	TWA: 3 mg/m ³			-
BHT	TWA: 10 mg/m ³	TWA: 2	2 mg/m³	TWA: 2 mg/m	3	STEL: 10 mg/m ³
128-37-0						

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves. Viton™. Nitrile rubber. Neoprene gloves. Rubber gloves.

Skin and body protection Lightweight protective clothing. Long sleeved clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Gel

Appearance White to off-white Odor Petroleum

Color No information available

Odor Threshold Not applicable

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

Melting / freezing point No data available None known



Boiling point / boiling range No data available None known

Flash Point >204.44°C Cleveland Open Cup (COC)

Evaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability limitNo data availableLower flammability limitNo data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density .92

Water Solubility Insoluble

Solubility(ies) No data available None known

Partition coefficient: n-octanol/waterNot applicableAutoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Explosive properties

No information available

No information available

Other Information

Softening Point
Molecular Weight
VOC Content (%)
Liquid Density
Bulk Density
Particle Size
Particle Size
No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact None known.

Skin contact No known effect.



Ingestion Not an expected route of exposure. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Information on toxicological effects

Symptoms No information available.

Numerical measures of toxicity

Acute Toxicity

Unknown acute toxicity Component Information

No information available

Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50
White mineral oil	> 5000 mg/kg (Rat)	-	-
Titanium dioxide	> 10000 mg/kg (Rat)		> 6820 mg/m ³
BHT	> 2930 mg/kg (Rat)	> 2000 mg/kg (Rat)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Classification based on data available for ingredients.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
BHT	-	Group 3	-	-
128-37-0		-		

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Aspiration hazard

No information available.

12. ECOLOGICAL INFORMATION

EcotoxicityThe environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
White mineral oil		96h LC50: > 10000 mg/L	-	



		(Lepomis macrochirus)		
BHT	72h EC50: = 6 mg/L	48h LC50: = 5 mg/L	EC50 = 7.82 mg/L 5 min	
	(Pseudokirchneriella	(Oryzias latipes)	EC50 = 8.57 mg/L 15 min	
	subcapitata) 72h EC50: >		EC50 = 8.98 mg/L 30 min	
	0.42 mg/L			
	(Desmodesmus			
	subspicatus)			

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
White mineral oil	6
BHT	4.17

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

DOT NOT REGULATED

TDG Not regulated

MEX NOT REGULATED

ICAO NOT REGULATED

IATA Not regulated NON REGULATED

IMDG Not regulated

RID NOT REGULATED

ADR NOT REGULATED

ADN NOT REGULATED

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture



International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA Complies.
DSL/NDSL Complies.
EINECS/ELINCS Complies.
ENCS Complies.
KECL Complies.
PICCS Complies.
AICS Complies.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains titanium dioxide which is classified as a possible carcinogen when present as respirable dust. This is not relevant for this product since it is not in a respirable form.

U.S. State Right-to-Know Regulations



This product may contain substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Limestone	Х	Х	Х		
1317-65-3					
Titanium dioxide	X	X	X		
13463-67-7					
BHT	X	Х	X		
128-37-0					

16. OTHER INFORMATION

NFPA Health hazards 0 Flammability 1 Instability 0 Physical and Chemical Properties -

<u>HMIS</u> Health hazards 0 Flammability 1 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 28-Apr-2017

Revision Date 24-Aug-2018

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

