

SAFETY DATA SHEET

Issuing Date 11-Apr-2013

Revision Date 24-Aug-2018

Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name JET-LUBE® - EZY-TURN® #8

Other means of identification

Product Code(s) 945

(M)SDS Number WPS-JLI-104

Synonyms EZY-TURN® #8; ILEX EZY-TURN® #8

Recommended use of the chemical and restrictions on use

Recommended Use Lubricants, Greases and Release Products

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Identification Jet-Lube LLC

Address Jet Lube LLC

930 Whitmore Drive

Rockwall, Texas USA 75087

Telephone US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108

E-mail Sales@jetlube.com

Emergency telephone number

Company Emergency Phone

Number

1-800-699-6318

Emergency Telephone Number

CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

2. HAZARDS IDENTIFICATION

Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).



.

Appearance Green Physical state Semi-Solid Paste

Odor Seed oil smell (slight)

GHS Label elements, including precautionary statements

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood Wear personal protective equipment/face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

<u>Mixture</u>

Synonyms

EZY-TURN® #8; ILEX EZY-TURN® #8

| | Chemical Name | CAS-No | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|---|------------------|-------------|----------|---|---|
| | Ptfe | 9002-84-0 | 10-25 | - | - |
| | Calcium fluoride | 7789-75-5 | 10-25 | - | - |
| Γ | Silicone Dioxide | 112945-52-5 | 1-5 | - | - |

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation If breathing has stopped, give artificial respiration. Get medical attention immediately.

Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

should) give oxygen. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep



eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician or Poison Control

Center immediately.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Do not breathe vapor or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8

for more information. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing. Burning sensation.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides. Thermal decomposition of product above 300 degrees (C), can create

Carbonyl fluoride, which combines with air and moisture and hydrolyses to Hydrogen

Fluoride and Carbon Dioxide. Other PTFE degradation products include;

perfluoroisobutylene, tetrafluoroethylene, hexafluoropropylene, carbon monoxide and

trifluoromethane.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Do not breathe vapor

or mist. Use personal protective equipment as required. Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.



Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate

exhaust ventilation. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

| Chemical Name | | ACGIH T | LV | OSHA PEL TWA: 2.5 mg/m³ F | | NIOSH IDLH IDLH: 250 mg/m³ F | |
|------------------|-------------|---------------------------|------------------|------------------------------|----------------------------|---------------------------------|----------------------------|
| Calcium fluoride | | TWA: 2.5 mg | g/m³ F | | | | |
| 7789-75-5 | | | | (vacated) | TWA: 2.5 mg/m ³ | | - |
| Chemical Name | ame Alberta | | British Columbia | | Ontario TWAEV | | Quebec |
| Ptfe | | | | | | | TWA: 2.5 mg/m ³ |
| 9002-84-0 | | | | | | | |
| Calcium fluoride | T | WA: 2.5 mg/m ³ | TWA: 2. | 5 mg/m³ | TWA: 2.5 mg/m | 1 ³ | TWA: 2.5 mg/m ³ |
| 7789-75-5 | | | | | | | |

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.



Hand protection Wear suitable gloves. Impervious gloves. Nitrile rubber. Rubber gloves. Viton™.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Apron. Boots.

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Wear suitable

gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene

and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Semi-Solid; Paste

Appearance Green

Odor Seed oil smell (slight)

Color No information available

Odor Threshold Not applicable

Property Values Remarks Method

pH 7

Melting / freezing point NONE None known

Boiling point / boiling range 315 °C Flash Point > 260 °C

Evaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone known

Flammability Limit in Air None known

Upper flammability limit No data available

Lower flammability limit

No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 1.22 Water Solubility Insoluble

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water Not Applicable

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Explosive properties

Oxidizing properties

No information available
No information available

Other Information

Softening Point No information available Molecular Weight No information available

VOC Content (%) None

Liquid Density

Bulk Density

Particle Size

Particle Size Distribution

No information available
No information available
No information available
No information available



10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid Excessive heat.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products Carbon oxides. Thermal decomposition of product above 300 degrees (C), can create

Carbonyl fluoride, which combines with air and moisture and hydrolyses to Hydrogen

Fluoride and Carbon Dioxide. Other PTFE degradation products include;

perfluoroisobutylene, tetrafluoroethylene, hexafluoropropylene, carbon monoxide and

trifluoromethane.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation No known hazard by inhalation.

Eye contact None known.

Skin contact None known.

Ingestion Not an expected route of exposure. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Information on toxicological effects

Symptoms Coughing and/ or wheezing. Difficulty in breathing. Redness. May cause redness and

tearing of the eyes.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 5,990.50 mg/kg ATEmix (inhalation-dust/mist) 0.06 mg/L

Unknown acute toxicity

No information available

Component Information

| Chemical Name LD50 Oral | | LD50 Dermal | Inhalation LC50 | |
|-------------------------|--------------------|-------------|-----------------|--|
| Calcium fluoride | = 4250 mg/kg (Rat) | | | |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.



Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicityNo information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

EcotoxicityThe environmental impact of this product has not been fully investigated.

Persistence and Degradability No information available.

Bioaccumulation There is no data for this product.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste | | |
|------------------|----------------------------|--|--|
| Calcium fluoride | Toxic | | |
| 7789-75-5 | | | |

14. TRANSPORT INFORMATION

DOT NOT REGULATED

TDG Not regulated

MEX NOT REGULATED



ICAO NOT REGULATED

IATA Not regulated

IMDG Not regulated

RID NOT REGULATED

ADR NOT REGULATED

ADN NOT REGULATED

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA Complies.

DSL/NDSL Complies.

EINECS/ELINCS Complies.

ENCS Not determined.

KECL Complies.

PICCS Not determined.

AICS Complies.

<u>Legend</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health HazardYesChronic Health HazardNoFire HazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)



CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

| Chemical Name | New Jersey | Massachusett | Pennsylvania | Rhode Island | Illinois |
|------------------|------------|--------------|--------------|--------------|----------|
| | | S | | | |
| Ptfe | | | Х | | |
| 9002-84-0 | | | | | |
| Calcium fluoride | X | | | | |
| 7789-75-5 | | | | | |

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 1 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 1 Flammability 1 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 11-Apr-2013

Revision Date 24-Aug-2018

Revision Note Initial Release

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

