

# **SAFETY DATA SHEET**

Issuing Date 30-Mar-2015

Revision Date 07-Mar-2019

**Revision Number 1** 



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION

**Product identifier** 

Product Name Z-PLATE™

Other means of identification

Product Code(s) 60541

(M)SDS Number WPS-JLI-083US

Recommended use of the chemical and restrictions on use

Recommended Use No information available

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Identification Jet-Lube, LLC.

Address Jet Lube LLC

930 Whitmore Drive

Rockwall, Texas USA 75087

**Telephone** US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108

E-mail Sales@jetlube.com

Emergency telephone number

**Company Emergency Phone** 

Number

1-800-699-6318

Emergency Telephone Number CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

# 2. HAZARDS IDENTIFICATION

#### Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3



Flammable Aerosols	Category 1
Gases Under Pressure	Compressed Gas

.

Appearance Gray Physical state Aerosol Odor Solvent

#### GHS Label elements, including precautionary statements

#### **Danger**

#### **Hazard statements**

Causes skin irritation
Causes serious eye irritation
May cause drowsiness or dizziness
Contains gas under pressure; may explode if heated
Extremely flammable aerosol



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Wear protective gloves/protective clothing/eye protection/face protection

# **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

#### Skin

IF ON SKIN: Gently wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

# Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Protect from sunlight

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Other information



# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Chemical Name	CAS-No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Petroleum gases	68476-85-7	23-27	-	-
Zinc (powder)	7440-66-6	20-25	-	-
Xylenes (o-, m-, p- isomers)	1330-20-7	15-20	-	-
Acetone	67-64-1	10-15	-	-
Methyl ethyl ketone	78-93-3	5-10	-	-
Aluminum	7429-90-5	1-2	-	-

# 4. FIRST AID MEASURES

First aid measures

General advice Do not breathe dust/fume/gas/mist/vapors/spray. Get medical attention immediately if

symptoms occur. In the case of skin irritation or allergic reactions see a physician.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician or Poison Control Center immediately.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

## 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the No information available.

chemical

**Explosion Data** 

Sensitivity to Mechanical Impact None.



Sensitivity to Static Discharge

None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

This product, as supplied, does not contain any hazardous materials with occupational **Exposure Limits** exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum gases	TWA: 1000 ppm	TWA: 1000 ppm	IDLH: 2000 ppm
68476-85-7		TWA: 1800 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1800 mg/m <sup>3</sup>
		(vacated) TWA: 1800 mg/m <sup>3</sup>	
Zinc (powder)	STEL: 10 mg/m³ respirable	TWA: 5 mg/m <sup>3</sup> fume	IDLH: 500 mg/m <sup>3</sup>
7440-66-6	fraction	TWA: 15 mg/m <sup>3</sup> total dust	Ceiling: 15 mg/m <sup>3</sup> dust
	TWA: 2 mg/m³ respirable	TWA: 5 mg/m³ respirable	TWA: 5 mg/m <sup>3</sup> dust and fume
	fraction	fraction	STEL: 10 mg/m <sup>3</sup> fume
Xylenes (o-, m-, p- isomers)	STEL: 150 ppm	TWA: 100 ppm	
1330-20-7	TWA: 100 ppm	TWA: 435 mg/m <sup>3</sup>	
		(vacated) TWA: 100 ppm	
		(vacated) TWA: 435 mg/m <sup>3</sup>	
		(vacated) STEL: 150 ppm	



				(vacated)	STEL: 655 mg/m <sup>3</sup>		
Acetone		STEL: 750	ppm	TWA	: 1000 ppm	IDL	H: 2500 ppm 10% LEL
67-64-1		TWA: 500 ppm		TWA: 2400 mg/m <sup>3</sup>			TWA: 250 ppm
				(vacated)	TWA: 750 ppm		TWA: 590 mg/m <sup>3</sup>
				(vacated)	ΓWA: 1800 mg/m <sup>3</sup>		
				(vacated) S	STEL: 2400 mg/m <sup>3</sup>		
				The acetor	ne STEL does not		
				apply to the	e cellulose acetate		
				fiber industry	. It is in effect for all		
					er sectors		
				(vacated)	STEL: 1000 ppm		
Methyl ethyl ketone		STEL: 300			A: 200 ppm		IDLH: 3000 ppm
78-93-3		TWA: 200	ppm		: 590 mg/m³		TWA: 200 ppm
					TWA: 200 ppm		TWA: 590 mg/m <sup>3</sup>
					TWA: 590 mg/m <sup>3</sup>		STEL: 300 ppm
				, , ,	STEL: 300 ppm		STEL: 885 mg/m <sup>3</sup>
					STEL: 885 mg/m <sup>3</sup>		
Aluminum		TWA: 1 mg/m <sup>3</sup>			mg/m³ total dust		A: 10 mg/m³ total dust
7429-90-5		particulate n	ů i		TWA:	5 mg/m³ respirable dust	
					fraction		
				(vacated) IV	VA: 15 mg/m³ total		
				( t - al'	dust		
					) TWA: 5 mg/m <sup>3</sup>		
01 : 11		A.II. 4	D ::: 1 C		able fraction	. ,	<u> </u>
Chemical Name		Alberta		Columbia	Ontario TWAE		Quebec
Petroleum gases		WA: 1000 ppm		000 ppm	TWA: 1000 pp	m	TWA: 1000 ppm
68476-85-7		TEL: 1500 ppm		250 ppm	T14/4 400		TWA: 1800 mg/m <sup>3</sup>
Xylenes (o-, m-, p-		WA: 100 ppm		00 ppm	TWA: 100 ppn		TWA: 100 ppm
isomers)		VA: 434 mg/m <sup>3</sup>	STEL: 1	150 ppm	STEL: 150 ppr	n	TWA: 434 mg/m <sup>3</sup>
1330-20-7		TEL: 150 ppm					STEL: 150 ppm
Acatomo		EL: 651 mg/m <sup>3</sup>	T\\/ \ . \ \	FO 222	T\\\\\ . FOO ===		STEL: 651 mg/m <sup>3</sup>
Acetone 67-64-1		WA: 500 ppm VA: 1200 mg/m <sup>3</sup>		50 ppm 500 ppm	TWA: 500 ppn STEL: 750 ppr		TWA: 500 ppm TWA: 1190 mg/m <sup>3</sup>
07-04-1		TEL: 750 ppm	SIEL. S	ου μριτι	31EL. 730 ppr	11	STEL: 1000 ppm
		EL: 1800 mg/m <sup>3</sup>					STEL: 1000 ppin STEL: 2380 mg/m <sup>3</sup>
Methyl ethyl ketone		WA: 200 ppm	T\\/ \ · · ·	50 ppm	TWA: 200 ppn	n	TWA: 50 ppm
78-93-3		VA: 200 ppm VA: 590 mg/m <sup>3</sup>		100 ppm	STEL: 300 ppr		TWA: 150 mg/m <sup>3</sup>
10-33-3		TEL: 300 ppm	OTEL. I	гоо ррпп	01LL. 300 ppi	"	STEL: 100 ppm
		EL: 885 mg/m <sup>3</sup>					STEL: 300 mg/m <sup>3</sup>
Aluminum		10 mg/m³ TWA: 5	TWA: 1	0 mg/m <sup>3</sup>	TWA: 1 mg/m	3	TWA: 10 mg/m <sup>3</sup> TWA: 5
7429-90-5		mg/m³		5g/	''''		mg/m <sup>3</sup>

## Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

**Eye/face protection** No special protective equipment required.

**Hand protection** Wear suitable gloves. Rubber gloves. Nitrile rubber.

**Skin and body protection** No special protective equipment required.

exceeded or irritation is experienced, ventilation and evacuation may be required.



General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Aerosol Appearance Gray Odor Solvent

ColorNo information availableOdor ThresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

Hq Neutral None known Melting / freezing point -95 °C None known Boiling point / boiling range -18 to 162 °C None known **Flash Point** > -20 °C None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limitNo data availableLower flammability limitNo data available

Vapor pressure No data available None known Vapor density No data available None known Relative density 0.94 None known **Water Solubility** No data available None known No data available Solubility(ies) None known Partition coefficient: n-octanol/water No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known No data available None known Kinematic viscosity No data available Dynamic viscosity None known

Explosive properties

Oxidizing properties

No information available
No information available

Other Information

Softening Point No information available
Molecular Weight No information available

**VOC Content (%)** <=49.8

Liquid DensityNo information availableBulk DensityNo information availableParticle SizeNo information availableParticle Size DistributionNo information available

# 10. STABILITY AND REACTIVITY

**Reactivity** No information available.

**Chemical stability** Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid None known based on information supplied.

**Incompatible materials**None known based on information supplied.

Hazardous Decomposition Products None known based on information supplied.



## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

**Inhalation** Vapors may be irritating to eyes, nose, throat, and lungs. May cause central nervous

system depression with nausea, headache, dizziness, vomiting, and incoordination.

**Eye contact** Causes serious eye irritation.

**Skin contact** Repeated exposure may cause skin dryness or cracking. Causes skin irritation. May be

harmful in contact with skin.

**Ingestion** Not an expected route of exposure. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Information on toxicological effects

**Symptoms** Redness. Itching. Dizziness. Drowsiness.

Numerical measures of toxicity

**Acute Toxicity** 

Carcinogenicity

Unknown acute toxicity No information available

Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50
Zinc (powder)	= 630 mg/kg (Rat)		
Xylenes (o-, m-, p- isomers)	= 3500 mg/kg (Rat)	> 4350 mg/kg (Rabbit) > 1700	= 29.08 mg/L (Rat) 4 h = 5000
·		mg/kg (Rabbit)	ppm (Rat)4h
Acetone	= 5800 mg/kg (Rat)	1700mg/kg (rabbit)	18892 mg/m <sup>3</sup>
Methyl ethyl ketone	= 2737 mg/kg (Rat)	= 6480 mg/kg ( Rabbit )	23500 mg/m <sup>3</sup>

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Irritating to eyes.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

-

The table below indicates whether each agency has listed any ingredient as a carcinogen.

	mile in the control of the control o			
Chemical Name	ACGIH	IARC	NTP	OSHA
Xylenes (o-, m-, p-	A4	Group 3	-	-
isomers)				
1330-20-7				

Classification based on data available for ingredients.

**ACGIH (American Conference of Governmental Industrial Hygienists)** 

A4 - Not Classifiable as a Human Carcinogen

IARC (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

**STOT - single exposure** May cause drowsiness or dizziness.



STOT - repeated exposure No information available.

Aspiration hazard No information available.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Zinc (powder)	EC50 72 h: 0.09 - 0.125	LC50 96 h: 0.211-0.269	-	EC50 48 h: 0.139 -
	mg/L static	mg/L semi-static		0.908 mg/L Static
	(Pseudokirchneriella	(Pimephales promelas)		(Daphnia magna)
	subcapitata)	LC50 96 h: 2.16-3.05		
	EC50 96 h: 0.11 - 0.271	mg/L flow-through		
	mg/L static	(Pimephales promelas)		
	(Pseudokirchneriella	LC50 96 h: = 0.24 mg/L		
	subcapitata)	flow-through		
		(Oncorhynchus mykiss)		
		LC50 96 h: = 0.41 mg/L		
		static (Oncorhynchus		
		mykiss)		
		LC50 96 h: = 0.45 mg/L		
		semi-static (Cyprinus		
		carpio)		
		LC50 96 h: = 0.59 mg/L		
		semi-static		
		(Oncorhynchus mykiss)		
		LC50 96 h: = 2.66 mg/L		
		static (Pimephales		
		promelas)		
		LC50 96 h: = 3.5 mg/L		
		static (Lepomis		
		,		
Valores (s. 15	E050 70 h		EOE0 0 0004 // 04 b	E050 40 h 0.00 m m/l
1				
isomers)				
	subcapitata)			
				lacustris)
		, ,		
		9		
		, , ,		
Xylenes (o-, m-, p- isomers)	EC50 72 h: = 11 mg/L (Pseudokirchneriella subcapitata)	macrochirus) LC50 96 h: = 30 mg/L (Cyprinus carpio) LC50 96 h: = 7.8 mg/L static (Cyprinus carpio) LC50 96 h: = 13.4 mg/L flow-through (Pimephales promelas) LC50 96 h: 2.661 - 4.093 mg/L static (Oncorhynchus mykiss) LC50 96 h: 13.5 - 17.3 mg/L (Oncorhynchus mykiss) LC50 96 h: 13.1 - 16.5 mg/L flow-through (Lepomis macrochirus) LC50 96 h: = 19 mg/L (Lepomis macrochirus) LC50 96 h: 7.711 - 9.591 mg/L static (Lepomis macrochirus) LC50 96 h: 23.53 - 29.97 mg/L static (Pimephales promelas) LC50 96 h: = 780 mg/L		EC50 48 h: = 3.82 mg/L (water flea) LC50 48 h: = 0.6 mg/L (Gammarus lacustris)



	semi-static (Cyprinus		
	carpio) LC50 96 h: > 780		
	mg/L (Cyprinus carpio)		
	LC50 96 h: 30.26 - 40.75		
	mg/L static (Poecilia		
	reticulata)		
Acetone	LC50 96 h: 4.74 - 6.33	EC50 = 14500 mg/L 15	EC50 48 h: 10294 -
	mL/L (Oncorhynchus	min	17704 mg/L Static
	mykiss) LC50 96 h: 6210		(Daphnia magna) EC50
	- 8120 mg/L static		48 h: 12600 - 12700
	(Pimephales promelas)		mg/L (Daphnia magna)
	LC50 96 h: = 8300 mg/L		
	(Lepomis macrochirus)		
Methyl ethyl ketone	LC50 96 h: 3130-3320	EC50 = 3403 mg/L 30	EC50 48 h: 4025 - 6440
	mg/L flow-through	min	mg/L Static (Daphnia
	(Pimephales promelas)	EC50 = 3426  mg/L  5  min	magna)
			EC50 48 h: = 5091 mg/L
			(Daphnia magna)
			EC50 48 h: > 520 mg/L
			(Daphnia magna)

Persistence and Degradability No information available.

**Bioaccumulation** There is no data for this product.

Chemical Name	Log Pow
Petroleum gases	2.8
Xylenes (o-, m-, p- isomers)	2.77 - 3.15
Acetone	-0.24
Methyl ethyl ketone	0.29

MobilityNo information available.Other adverse effectsNo information available.

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

Chemical Name	California Hazardous Waste
Zinc (powder) 7440-66-6	Ignitable powder
Xylenes (o-, m-, p- isomers) 1330-20-7	Toxic Ignitable
Acetone 67-64-1	Ignitable
Methyl ethyl ketone 78-93-3	Toxic Ignitable
Aluminum 7429-90-5	Ignitable powder



## 14. TRANSPORT INFORMATION

**DOT** NOT REGULATED

**UN-No.** UN1950

Proper Shipping Name Aerosols (Mixture)

Hazard Class 2.1

**Description** UN1950, Aerosols, 2.1, Mixture

Emergency Response Guide 126

Number

TDG Not regulated UN 1950

Proper Shipping Name Aerosols (Mixture)

Hazard Class 2.1

**Description** UN1950, AEROSOLS, 2.1, Mixture

MEX NOT REGULATED

**UN-No.** UN1950

Proper Shipping Name Aerosols (Mixture)

Hazard Class 2.

**Description** UN1950 Aerosols, 2.1, , Mixture

ICAO NOT REGULATED

**UN-No.** UN1950

Proper Shipping Name Aerosols (Mixture)

Hazard Class 2.

**Description** UN1950, Aerosols, 2.1, Mixture

IATA Not regulated UN Number UN1950

Proper Shipping Name Aerosols, flammable (Mixture)

Hazard Class 2.1

**Description** UN1950, Aerosols, flammable, 2.1, Mixture

IMDGNot regulatedUN NumberUN1950

Proper Shipping Name Aerosols (Mixture)

Hazard Class 2.1 EmS-No. F-D, S-U

**Description** UN1950, Aerosols, 2.1, Mixture, FP -20C

RID NOT REGULATED

**UN-No.** UN1950

Proper Shipping Name Aerosols (Mixture)

Hazard Class 2.1 Classification code 5F

**Description** UN1950 Aerosols, 2.1, , Mixture

ADR NOT REGULATED

**UN-No.** UN1950

Proper Shipping Name Aerosols (Mixture)

Hazard Class 2.1 Classification code 5F

**Description** UN1950 Aerosols, 2.1, ,, Mixture

ADN NOT REGULATED

**UN-No.** UN1950

Proper Shipping Name Aerosols (Mixture)

Hazard Class 2.1



Classification code 5F

Special Provisions 190, 327, 625

**Description** UN1950 Aerosols, 2.1, , Mixture

Hazard Labels 2.1 Limited Quantity LQ2

Ventilation VE01, VE04

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Regulations**

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

**Export Notification requirements** Not applicable

#### **International Inventories**

TSCA Complies.
DSL/NDSL Complies.
EINECS/ELINCS Complies.
ENCS Complies.
KECL Complies.
PICCS Complies.
AICS Complies.

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS-No	Weight-%	SARA 313 - Threshold Values %
Zinc (powder) - 7440-66-6	7440-66-6	20-25	1.0
Xylenes (o-, m-, p- isomers) - 1330-	20-7 1330-20-7	15-20	1.0
Aluminum - 7429-90-5	7429-90-5	1-2	1.0

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)



Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc (powder) 7440-66-6		X	Х	
Xylenes (o-, m-, p- isomers) 1330-20-7	100 lb			Х

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Zinc (powder) 7440-66-6	1000 lb		RQ 454 kg final RQ RQ 1000 lb final RQ
Xylenes (o-, m-, p- isomers) 1330-20-7	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ
Acetone 67-64-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Methyl ethyl ketone 78-93-3	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

## **US State Regulations**

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

This product does not contain any substances above threshold limits that are regulated by state right-to-know.

Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Petroleum gases 68476-85-7	X	X	Х	Х	
Zinc (powder) 7440-66-6	X	X	Х	Х	
Xylenes (o-, m-, p- isomers) 1330-20-7	Х	X	Х	Х	Χ
Acetone 67-64-1	Х	X	Х	Х	
Methyl ethyl ketone 78-93-3	Χ	X	Х	X	Х
Aluminum 7429-90-5	Х	Х	Х	Х	

<u>NFPA</u>	Health hazards 2	Flammability 4	Instability 0	Physical and Chemical

Properties - Health hazards 2 Flammability 4 Physical hazards 0 Personal Protection X

**16. OTHER INFORMATION** 

Prepared By Product Stewardship 23 British American Blvd.



Latham, NY 12110 1-800-572-6501

Issuing Date 30-Mar-2015

Revision Date 07-Mar-2019

Revision Note No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

