

EXTRA PRICES



Phone: 800.888.0985

716.689.5400

Fax: 800.210.9480

716.689.5644

columbusmckinnon.com

Schedule # XTRA-0325

Prices effective March 3, 2025. Prices subject to change without notice. All prices are F.O.B. origin.

EXTRA PRICES

ELECTRIC HOISTS AND TROLLEYS

ITEM NO.	ITEM INDEX	<u>PAGE</u>
1)	CHAIN CONTAINERS (LONG LIFT) Lodestar	7
2)	COILED CORD Lodestar/Powerstar/XL	7
3a) 3b)	CONTACTOR, MAINLINE Lodestar Powerstar/XL	8 8
4)	CONTACTOR, TROLLEY OR BRIDGE Lodestar/Powerstar/XL	8
5)	CONTROL CIRCUIT, 24 OR 48 VOLT Lodestar/Powerstar	8 & 9
6)	CONTROL CORD Lodestar/Powerstar/XL	9
7)	CONTROL STATION (ADDITIONAL BUTTONS) Lodestar/Powerstar/XL (w/MDT) Lodestar (Pendant) (w/o MDT)	9 10
8)	CONTROL STATIONS (SPECIAL) Lodestar/Powerstar/XL	10
9)	CONTROL TRANSFORMER Powerstar/XL	10
10)	CRATING & PACKAGING (SPECIAL) Lodestar/Powerstar/XL	10
11)	DUAL CONTROL, HOIST/TROLLEY Lodestar/Powerstar/XL	11 & 12
12)	ELECTRICAL INTERLOCK Lodestar/Powerstar/XL	12
13)	EXTENDED ARM (OUTRIGGER) Lodestar/Powerstar/XL	12
14)	EYE BOLT TYPE SUSPENSION Lodestar	12

EXTRA PRICES

ITEM NO.	ITEM INDEX	<u>PAGE</u>
15)	FUNGUS PROTECTION Lodestar/Powerstar/XL	12
16)	HIGH TEMPERATURE MOTOR INSULATION Lodestar/Powerstar/XL	13
17)	LIMIT SWITCHES, LONG LIFT Lodestar/Powerstar/XL	14 & 15
18)	LUG SUSPENSION FOR PATENTED CARRIER Lodestar	15 & 16
19)	MAINTAINED CONTROL Lodestar	16
20)	OVERCURRENT PROTECTION & KLIXON Lodestar/Powerstar/XL	16, 17 & 18
21a) 21b)	OVERSIZED BEAMS Lodestar Powerstar/XL	19 & 20 21
22)	PAINT (SPECIAL) Lodestar/Powerstar/XL	22
23a) 23b)	PATENTED TRACK Lodestar Powerstar/XL	22 23
24)	POWER CORD STRAIN RELIEF Lodestar/Powerstar/XL	23
25a) 25b)	POWER SUPPLY (SPECIAL) Lodestar Powerstar	23 & 24 24
26)	SPACE HEATERS Lodestar/Powerstar/XL	24
27)	TROLLEY ACCELERATION CONTROL Lodestar/Powerstar/XL	25

XTRA-0325

EFFECTIVE: 3-3-25

EXTRA PRICES

ITEM NO.	ITEM INDEX	<u>PAGE</u>
28)	TROLLEY BALLAST RESISTORS Lodestar/Powerstar/XL	25
29)	TROLLEY GUARDS Lodestar	25
30)	TROLLEY TRAVEL LIMIT SWITCHES Lodestar/Powerstar/XL	25
31)	TROLLEY, MOTOR DRIVEN TWO SPEED & OTHER AVAILABLE SPEEDS Lodestar Series 635 Powerstar/XL	26 26 & 27
32)	TOW BAR Lodestar/Powerstar/XL	27
33)	3M PHASE SENSING RELAY Lodestar (3 Phase Only)	27
34)	UNDERSIZE BEAMS Powerstar/XL	27
	CM HAND POWER HOISTS	
ITEM NO.	I <u>TEM INDEX</u>	<u>PAGE</u>
1)	TROLLEY GUARDS Cyclone Army and LH Trolley Hoists	28
2)	BEYOND STANDARD ADJUSTMENT RANGE (SPECIA Cyclone Army Type Trolley Hoist	AL) 28
3)	BEYOND STANDARD ADJUSTMENT RANGE (SPECIAL Low Headroom Trolley Hoist	AL) 29
4)	OPERATION ON 3 1/4" OR 3.33" PATENTED TRACK Army Type Trolley Hoist Low Headroom Trolley Hoist	29 29
5)	UPPER OR LOWER BRONZE HOOK Cyclone & Trolley Hoist	29
6)	EYE TYPE SUSPENSION	30

Cyclone

XTRA-0325 EFFECTIVE: 3-3-25

EXTRA PRICES

CM TROLLEYS

ITEM NO.	I <u>TEM INDEX</u>	<u>PAGE</u>
1)	BEYOND STANDARD ADJUSTMENT RANGE Series 632	31
2)	OPTIONAL ACCESSORIES Series 632	31
	SUPPLEMENTAL PRICING	
	LODESTAR CORROSION-RESISTANT ADDERS	32
	CONTROL STATION PARTS	33
	BULLARD HOOKS	34
	CLEAN ROOM LODESTARS	35 & 36

EFFECTIVE: 3-3-25

1) CHAIN CONTAINER - LONG LIFT

LODESTAR - Apply for lifts other than those listed. 10 inch diameter bucket for close headroom and long lift applications. Brackets included.

<u>LENGTH</u>	<u>MODEL</u>	MAX.LIFT	ТОТ	AL PRICE
	A-AA-B-C-F	44'		
	E - H	22'		
10 Inch	J-JJ-L-LL	28'	\$	752.00
*Code# 2461	R - RR	14'		
	RT - RRT	9'		
	A-AA-B-C-F	104'		
	E - H	52'		
15 Inch	J-JJ-L-LL	66'	\$	796.00
*Code# 2463	R-RR	33'		
	RT - RRT	22'		
	A-AA-B-C-F	166'		
	E - H	83'		
20 Inch	J-JJ-L-LL	106'	\$	825.00
*Code# 2464	R-RR	53'		
	RT - RRT	35'		
	A-AA-B-C-F	230'		
	E - H	115'		
25 Inch	J-JJ-L-LL	144'	\$	848.00
*Code# 2465	R-RR	72'		
	RT - RRT	48'		
	A-AA-B-C-F	290'		
	E - H	145'		
30 Inch	J-JJ-L-LL	180'	\$	866.00
*Code# 2466	R-RR	90'		
	RT - RRT	60'		

Note: May require counter balancing

POWERSTAR - See Powered Hoists Price Schedule

2) COILED CORD - (Power or Control Cord)

LODESTAR/POWERSTAR/XL

4 ft. retracted, 25 ft. extended Add to user list price of hoist

AWG #16-4 Code 89383 \$ 956.75 AWG #14-4 Code 89384 \$ 1,149.50

EFFECTIVE: 3-3-25

ELECTRIC HOISTS AND TROLLEYS

3a) **CONTACTOR - MAINLINE (UP TO 4 H.P. - HOIST DUTY)**

Hoist only	\$ 374.00
Hoist with Motor Driven Trolley	\$ 822.00

Extra charge includes mainline contactor, control transformer, larger control box (if required), mounting brackets and wiring.

NOTE: Price does not include additional buttons in control station.

Mainline Contactor Only (4 H.P.)

3b) **CONTACTOR - MAINLINE**

POWERSTAR/XL

Add to user list price of hoist

A.	Hoist Duty (Nema 0) Up to 3 H.P. @ 230 Volts Up to 5 H.P. @ 460 volts	\$ 1,553.00
B.	Size 1 (Nema 1) Up to 7.5 H.P. @ 230 volts Up to 10 H.P. @ 460 volts	\$ 1,716.00
C.	<u>Size 2</u> (Nema 2) Up to 15 H.P. @ 230 volts Up to 25 H.P. @ 460 volts	\$ 4,397.00

4) <u>CONTACTOR - REVERSING TROLLEY (CARRIER) OR BRIDGE</u> - Single or two speed carrier or bridge

LODESTAR/POWERSTAR/XL

A.	Thru 2 H.P. (Max)	\$ 783.00
B.	Over 2 H.P. thru 4 H.P.	\$ 1.169.00

5) CONTROL CIRCUIT, 24 or 48 VOLT - EXTRA CHARGES AS FOLLOWS

LODESTAR HOIST ONLY

	<u>115-1-60</u>	230/460-3-60
A thru H (single speed)	\$148.55	\$148.55
J, L, R & RT (single speed)	\$148.55	\$148.55
JJ, LL, RR, RRT (single speed)	Not Available	\$148.55
Two speed (All Models)	Not Available	\$148.55

EFFECTIVE: 3-3-25

5) CONTROL CIRCUIT, 24 or 48 VOLT - EXTRA CHARGES AS FOLLOWS - Cont.

LODESTAR	<u>115-1-60</u>	230/4	60-3-60
M.D.T. ONLY	\$ 148.45	\$	148.45

Extra charge for modified control circuit includes special contactor, transformer, speed selecting relay (for two speed hoists), miscellaneous wiring and hardware.

POWERSTAR/XL

HOIST ONLY (1 or 2 speed standard voltages) \$ 278.00

M.D.T. ONLY (1 or 2 speed standard voltages) \$ 145.65

Extra charge for modified control circuit includes special contactor, transformer, speed selecting relay (for two speed units), miscellaneous wiring and hardware.

6) ADDITIONAL CONTROL CABLE - Extra charges beyond standard 6 ft. drop

LODESTAR/POWERSTAR/XL

CONTROL CORD	<u>EXTRA</u>	PER FT.
AWG #16-8	\$	16.90
AWG #16-10	\$	19.40
AWG #16-12	\$	21.35
AWG #16-14	\$	23.90

7a) ADDITIONAL BUTTONS IN CONTROL STATION (NEMA 3R)

LODESTAR/POWERSTAR/XL

Add to user list price of motor driven trolley

A.	Two extra single speed buttons	\$ 66.00
B.	Two extra two speed buttons	\$ 90.00
C.	On/Off (for mainline disconnect)	\$ 195.00
D.	Mushroom	\$ 195.00
E.	Key Selector	APPLY
F.	3-Position Selector	APPLY

Extra charge includes larger cables, chain strain relief and mounting hardware (mainline or bridge contactor(s) not included)

EFFECTIVE: 3-3-25

7b) <u>ADDITIONAL BUTTONS FOR MULTI-FUNCTION CONTROL STATIONS</u>, PENDANT FROM HOIST - HOIST LESS MDT

LODESTAR

Add to User List Price of hoist.

ALL MODELS

A.	2 additional single speed buttons	\$ 66.00
B.	2 additional 2 speed buttons On/Off momentary (for mainline contactor)	\$ 195.00 195.00

Extra charge includes special wiring diagram, reworked end cover, 3 ft. tag lead out of hoist and chain strain relief (relays and reversing contactors and larger transformers [25 VA standard] not included).

8) SURFACE MOUNTED CONTROL STATION - CAST STEEL OR STAINLESS STEEL

LODESTAR/POWERSTAR/XL

Push buttons marked up and down, or forward and reverse, or both.

	<u> 2 Button</u>	4 Button
All single speed, standard lift models	APPLY	APPLY
For two speed - APPLY		

9) **CONTROL TRANSFORMER** - For additional control functions

LODESTAR/POWERSTAR/XL

Add to user list price of hoist.

A.	100 VA	\$ 1,187.00
B.	250 VA	\$ 1.509.00

10) **CRATING AND PACKAGING**

LODESTAR/POWERSTAR/XL

Other than standard factory packaging, apply for pricing.

APPLY

EFFECTIVE: 3-3-25

11) DUAL HOIST/TROLLEY CONTROL

LODESTAR/POWERSTAR/XL

A. TWO HOISTS CONTROLLED FROM ONE PENDANT CONTROL STATION

Push buttons marked Hoist Up and Hoist Down, selector switch marked Hoist #1, Hoist #2 and both.

Add to user list price of each hoist.

All single speed models with contactor \$ 922.00
All two speed models \$ 1,845.00

Price includes hoist isolating contactor, transformer (mounted in box), hoist speed selecting relay (for 2 speed units), weatherproof electrical enclosure, #16-8 control station cable (for single speed hoists) or #16-10 control station cable (for two speed units) chain strain relief and hardware.

Control station is pendant from electrical enclosure and control cord length is based on 10 ft. hoist lift. For longer control cord add:

 CONTROL CORD
 EXTRA PER FT.

 AWG #16-10
 \$ 18.80

Standard distance between hoists is 10 ft. for each additional foot of distance add:

CONTROL & POWER CORDSEXTRA PER FT.Single or two speed models\$ 30.40

B. TWO HOISTS AND TWO MOTOR DRIVEN TROLLEYS CONTROLLED FROM ONE PENDANT CONTROL STATION - Push buttons marked Hoist Up and Hoist Down, Trolley Forward and Trolley Reverse, selector switch marked Hoist #1, Hoist #2, and both, Trolley #1, Trolley #2 and both

Add to user list price of each hoist and trolley.

All single speed models with contactor \$ 1,371.00 All two speed models \$ 2,745.00

Price includes weatherproof electrical enclosure, transformer, hoist isolating contractor, trolley isolating contactor, hoist speed selecting relay (for 2 speed units), larger control cables for additional control functions, chain strain relief & hardware.

Control station is pendant from electrical enclosure and control cord length is based on 10 ft. hoist lift. For longer control cord add:

CONTROL CORDEXTRA PER FT.AWG #16-14\$ 23.10

EFFECTIVE: 3-3-25

11) **DUAL HOIST/TROLLEY CONTROL** - Cont.

Standard distance between hoists is 10 ft. for each additional foot of distance add:

		CONTROL & POWER CORDS Single or two speed models	EXTR \$	A PER FT. 54.40
		cingle of the speed measure	*	00
12)	ELECTRI	CAL INTERLOCK		
	in the hois	AR/POWERSTAR/XL - Additional normally closed contacts installed st or trolley to prevent both hoisting and lowering or trolley forward se circuits to become energized simultaneously.		
	Add to ea	ch contactor	\$	173.00
		ED ARM FOR CONTROL STATION (Outrigger) t. extension.		
	LODEST	AR/POWERSTAR/XL		
	Add to us	er list price of hoist or motor driven trolley.	\$	1,477.00
		udes counterweights and anti-tipping rollers d). Add for extra control cord as required.		
		offer 180° pivot - need to specify length required er web of beam.		APPLY
		T TYPE SUSPENSION (TO REPLACE UPPER HOIST HOOK) er list price of hoist with standard rigid hook suspension		
	LODEST	<u>AR</u>		
	Maximum	2 ton Capacity	\$	1,268.00
		PROTECTION - To protect hoist or trolley components from humid res (special varnish spray for various electric components).		
	LODEST	AR/POWERSTAR/XL		
	A. B.	Hoist only - Add to user list price of hoist Trolley only - Add to user list price of trolley	\$ \$	275.00 212.00
	NOTE:	Also add weatherproofing extra from sales literature if not standard		

EFFECTIVE: 3-3-25

16) HOIST OR TROLLEY HIGH TEMPERATURE SERVICE - (Special

motor insulation)

A. LODESTAR

Add to user list price of hoist or trolley

Hoist

Class F - Standard (rated at 135°C) STANDARD
Class H (rated at 155°C) \$ 811.00

Trolley

Class F - Standard (rated at 135°C) STANDARD
Class H (rated at 155°C) \$ 811.00

B. **POWERSTAR**

Add to user list price of hoist or trolley

Hoist

Class F - Standard (rated at 135°C) STANDARD
Class H (rated at 155°C) \$ 2,678.00

Trolley

Class F (rated at 135°C) STANDARD
Class H (rated at 155°C) \$ 955.00

C. LODESTAR XL

Add to user list price of hoist or trolley

Hoist

Class F - Standard (rated at 135°C) STANDARD
Class H (rated at 155°C) \$ 1,449.00

Trolley

Class F (rated at 135°C) STANDARD
Class H (rated at 155°C) \$ 1,102.00

EFFECTIVE: 3-3-25

17) LONG LIFT LIMIT SWITCHES

LODESTAR - Apply for lifts longer than those listed.

LIMIT	CLASSIC LODESTAR MODELS						
SWITCH	EXTRA CHARGE	A & C	AA	В	E & H		
44"	N/C STANDARD	206	390	104	52		
56"	\$ 161.00	262	497	133	66		
64"	\$ 161.00	300	568	152	76		
	-	F	J&L	IJ	LL		
44"	N/C STANDARD	104	125	246	246		
56"	\$ 161.00	133	159	314	314		
64"	\$ 161.00	152	181	358	358		
		R	RR	RT	RRT		
44"	N/C STANDARD	62	123	42	82		
56"	\$ 161.00	79	157	53	105		
64"	\$ 161.00	91	179	60	119		

LIMIT	NEXT C	NEXT GENERATION LODESTAR MODELS					
SWITCH	EXTRA CHARGE	A & C	AA	В	E & H		
44"	N/C STANDARD	206	385	105	52		
56"	\$ 161.00	262	491	133	67		
64"	\$ 161.00	299	561	152	76		
		F	J&L	IJ	LL		
44"	N/C STANDARD	105	127	250	249		
56"	\$ 161.00	133	162	318	317		
64"	\$ 161.00	152	185	363	362		
		R	RR	RRS	RT	RRT	
44"	N/C STANDARD	64	124	125	42	83	
56"	\$ 161.00	81	158	159	54	106	
64"	\$ 161.00	93	181	182	62	121	

NOTE: Above extra charge is for finer thread 56 or 64 limit switch shaft and traveling nuts. Hoist duty cycle must be considered if repetitive lifting is required

Also, coarser 28 thread limit switch shaft and traveling nuts are available to provide finer adjustment for close headroom applications. These 28 thread limits reduce lift range to one half the long lift ranges shown above.

EXTRA CHARG

EFFECTIVE: 3-3-25

17) **LONG LIFT LIMIT SWITCHES** Cont.

	AR up to 199 ft. lift. n - up to 99 ft. liff	:			N/C S	CHARGE TANDARD TANDARD
4, 5 & 6 Ton 7 1/2 - 10 To 12 Ton - ove	over 199 ft. but l - over 99 ft. but on - over 66 ft. b er 40 ft. but less er 39 ft. up to 57	less than 144 ut less than 96 than 72 ft.	ft.		\$	161.00
Hoist duty cy Longer Lifts	cle must be cor		64 limit switch shetitive lifting is requ	naft and traveling nuts. uired		APPLY
LODESTAR Capacity	Reeving	Speed	Lift Range Ft.			
2 ton	Single	18 fpm	121 - 174	_		
2 ton	Single	24 fpm	131 - 174			
2 ton	Single	30 fpm	213 - 308			
3 ton	2-part	9 fpm	61 - 87			
3 ton	2-part	12 fpm	66 - 94			
3 ton	2-part	15 fpm	107 - 154			
4 ton	2-part	9 fpm	61 - 87			
4 ton	2-part	12 fpm	66 - 94			
4 ton	2-part	15 fpm	107 - 154			
5 ton	2-part	9 fpm	61 - 87	>	\$	161.00
5 ton	2-part	12 fpm	66 - 94		,	
5 ton	2-part	15 fpm	107 - 154			
5 ton	3-part	6 fpm	41 - 58			
5 ton	3-part	8 fpm	44 - 62			
6 ton	3-part	6 fpm	41 - 58			
6 ton	3-part	8 fpm	44 - 62			
6 ton	3-part	10 fpm	72 - 103			
7.5 ton	3-part	6 fpm	41 - 58	J		
7.5 ton	3-part	10 fpm	72 - 103			
			64 limit switch shetitive lifting is requ	naft and traveling nuts. uired		APPLY

18) **LUG SUSPENSION FOR PATENTED CARRIERS**

LODESTAR

LUG SUSPENSION FOR AMERICAN MONORAIL CARRIERS - Add to

"Hoist Only" Column in HFLU price sheet.

,		
Models A-AA-B-C-F on A-167 Load Bar	Code 2780	APPLY
Models E-H on A-212 Load Bar	Code 2781	APPLY
Models A-AA-B-C-F on A-212 Load Bar	Code 2791	APPLY
Models J-L-JJ-LL on A-212 Load Bar	Code 3618	APPLY
Models R-RR on A-215 Load Bar	-	APPLY

LIST PRICE EA.

EFFECTIVE: 3-3-25

18) LUG SUSPENSION FOR PATENTED CARRIERS Cont. **LODESTAR**

LUG SUSPENSION FOR CLEVELAND TRAMRAIL	CARRIERS - Add to	
"Hoist Only" Column in HFLU price sheet.		LIST PRICE EA.
Models A-AA-B-C-F on 2K-8780 Load Bar	Code 2794	APPLY
Models E-H on 2K-8780 Load Bar	Code 2795	APPLY
Models J-JJ on 2K-8780 Load Bar	Code 3620	APPLY
Models A-AA-B-C-F on 3K-7143 Load Bar	Code 2786	APPLY
Models J-L-JJ-LL on 3K-7143 Load Bar	Code 3621	APPLY
Models E-H on 3K7143 Load Bar	Code 2787	APPLY
Models R-RR on 3K-7143 Load Bar	Code 3637	APPLY
LUG SUSPENSION FOR PATENTED CARRIERS		

EXTRA CHARGE APPLY

Models RT-RRT

Manufacturer, Carrier Model Number and Load Bar

LUC CUCRENCION FOR CLEVELAND TRAMPAU CARRIERS. Additional to the control of the c

NOTE: Number, and/or Load Bar Details must be submitted.

(Special)

19) MAINTAINED CONTROL (AUTOMATIC HOOK TRAVEL IN TWO DIRECTIONS)

LODESTAR

The hoist must have a contactor which is equipped with auxiliary contacts (electrical interlock - n.o. contacts), used in conjunction with a three button control station (or stations if more than one control point is desired). For dumbwaiter applications, the protector gear must be replaced by a solid intermediate gear and hoist be equipped with rigid type suspension.

Push buttons are normally marked "Stop, Up and Down"

Add to user list price of hoist

NO LONGER AVAILABLE

\$

70.00

The above price includes a single 3 button station, surface mounted type.

20) OVERCURRENT PROTECTION - HOIST OR TROLLEY

LODESTAR *NOTE: STANDARD ON NEXT GENERATION LODESTAR HOIST ONLY

THERMAL PROTECTION - thermal overload device A. (Klixon) in motor winding

Add to user list price of hoist or trolley

EFFECTIVE: 3-3-25

20) OVERCURRENT PROTECTION - HOIST OR TROLLEY Cont.

B. MOTOR THERMAL OVERLOAD RELAYS (T.O.R.)
(AUTOMATIC RESET) FOR OVERCURRENT PROTECTION

To protect motors against excessive voltage drop and current draw (1 relay required for single speed motor, 2 relays for 2 speed motor)

1. For hook, lug or low headroom trolley suspension - Add to User List Price of hoist:

All 3 phase single speed models (1 relay)	\$ 1,584.00
All 2 speed models (2 relays)	\$ 2.073.00

Price includes box, straps, brackets for mounting outside hoist and wiring.

2. For M.D.T. suspensions - Add to User List Price of trolley:

3 phase - M.D.T. only (1 relay)	\$ 409.00
3 phase single speed hoist with M.D.T. (2 relays)	\$ 817.00
Two speed hoist with M.D.T. (3 relays)	\$ 957.00

Price includes larger control box, mounting brackets and wiring.

C. MOTOR OVERCURRENT PROTECTION (REPLACEABLE FUSES) SINGLE OR 3 PHASE

Set of fuses to protect each motor against voltage drop and excessive current draw.

 For hook, lug or low headroom trolley suspension -Add to User List Price of hoist:

Models A thru H - Single phase (2 fuses)	\$ 878.00
Three phase - Single speed (3 fuses)	\$ 899.00
Three phase - Two speed (6 fuses)	\$ 957.00

Price includes box, straps, brackets for mounting outside hoist and wiring. Trolley Mounted Only

Models J, L, R & RT - Single phase (2 fuses)	\$ 638.00
Models J thru RRT - Three phase -	
Single speed (3 fuses)	\$ 669.00
Two speed (6 fuses)	\$ 735.00

Note: External box is required - fuses are mounted inside box.

EFFECTIVE: 3-3-25

20) OVERCURRENT PROTECTION - HOIST OR TROLLEY Cont.

POWERSTAR/XL

A.	THERMAL PROTECTION - Thermal overload device (Klixon) in motor winding is standard on Powerstar and XL.	S	TANDARD
B.	MOTOR THERMAL OVERLOAD RELAYS (T.O.R.) (AUTOMATIC RESET) FOR OVERCURRENT PROTECTION		
	To protect motors against voltage drop and excessive current draw (1 relay required for single speed motor, 2 relays for 2 speed motor)		
	Add for first relay Add for each additional relay	\$ \$	1,584.00 489.00
C.	MOTOR OVERCURRENT PROTECTION (REPLACEABLE FUSES)		
	Set of fuses to protect each motor against voltage drop and excessive current draw. (3 fuses required for single speed motor - 6 fuses for 2 speed motor)		
	Add for first set of 3 fuses Add for each additional set of fuses	\$ \$	671.00 199.00
D.	SHORT CIRCUIT PROTECTION - Set of 3 replaceable fuses in power line to protect entire hoist or trolley circuitry (or both) against electrical short circuit.		
	Add for set of 3 fuses	\$	483.00
E.	CONTROL CIRCUIT OVERCURRENT PROTECTION (TRANSFORMER FUSING)		
	Add for each transformer	\$	152.00
	Price includes one fused leg and one grounded leg to protect hoist or trolley control circuit.		

EFFECTIVE: 3-3-25

21a OVERSIZED BEAMS

LODESTAR

A. LOW HEADROOM TROLLEY

Add to list price of trolley for larger than standard flange widths.

CAPACITY	LARGER "S" BEAMS	WF SHAPES	EXTRA CHARGE	
Up to 1 Ton	Over 5 5/8" thru 7 1/4"	Over 5 13/16" thru 6 13/16"	\$	126.00
SPECIFY STANDARD COD	DE #3588			
Above are maximum obtaination for larger load bracket and le	•	narge is		
2 Ton	Over 6" thru 8"	Over 5 13/16" thru 8 1/16"	\$	165.00
Extra charge is for larger load bracket and longer suspension bolts. SPECIFY STANDARD CODE #3570				
2 Ton	-	Over 8 1/16" thru 10 9/16"	\$	1,085.00
10 9/16" maximum obtainable flange width. Extra Charge is for larger load bracket, longer suspension bolts and modified side frames (addition of spacer block for support.				
3 Ton	Over 5 5/8" thru 7 1/4"	Over 5 7/16" thru 7 5/16"	\$	312.00
Extra charge is for longer suspension bolts and larger load bracket.				
3 Ton	Over 7 1/4" thru 8"	Over 7 5/16" thru 8 15/16"	\$	501.00
	-	Over 9 1/16" thru 10 1/2"	\$	1,064.00

^{10 1/2&}quot; is maximum obtainable flange width. Extra charge is for longer suspension bolts and modified side frames (addition of spacer block for support and machined steel load bracket) - Special.

EFFECTIVE: 3-3-25

21a **OVERSIZED BEAMS** Cont.

LODESTAR

B. SERIES 635 MOTOR DRIVEN TROLLEY

Add to list price of Motor Driven Trolley for larger than standard flange widths.

CAPACITY	LARGER "S" BEAMS	WF SHAPES	EXTR	A CHARGE
Up to 2 Tons	Over 5 5/8" thru 8"	Over 5 7/16" thru 8 3/16"	\$	158.00
Extra charge is for larger loa	ad bracket and longer suspe	nsions bolts.		
Up to 2 Tons	-	Over 8 3/16" thru 10 1/4"	\$	849.00
	ble flange width. Extra charq bolts and modified side fram			
3 Ton	Over 5 5/8" thru 7 1/4"	Over 5 7/16" thru 7 1/16"	\$	279.00
Extra charge is for longer suspension bolts and larger load bracket.				
3 Ton	Over 7 1/4" thru 8"	Over 7 5/16" thru 9 1/8"	\$	583.00
	-	Over 9 1/8" thru 10 1/2"	\$	1,064.00
10 1/2" maximum obtainable flange width. Extra Charge is for longer suspension bolts, modified side frames (addition of spacer block for support and machined steel load bracket) - Special.				

21b **OVERSIZED BEAMS**

POWERSTAR/XL

Add to list price of trolley or hoist with trolley.

rtad to list price of trolle	y or moist with trolley.			
CAPACITY				
<u>TONS</u>	LARGER "S" BEAMS	<u>WF SHAPES</u>	EXTRA CH	HARGE
2 Ton	Over 5 1/2"	Over 5 5/16"	\$	324.90
Powerstar and XL	thru 7 5/8"	thru 7 7/16"		
Extra charge is for longe (Addition of spacer bloc	er suspension bolts and modi k for support).	fied frames.		
2 Ton				
Powerstar and XL	Over 7 5/8"	Over 7 7/16"	\$	553.90
	thru 8"	thru 9 9/16"		
		0.040	Φ.	4 000 05
	_	Over 9 9/16" thru 13 5/8"	\$	1,806.85
		unu 13 5/6		
bolts and modified side	ainable flange width. Extra C frames, (Addition of spacer b			
3 to 6	0 0 4 1 1 1 1	• • • • • • • • • • • • • • • • • • • •	_	
Powerstar Only		Over 6 1/16"	\$	324.90
F. du. Ob :- f l		thru 7 7/16"		
(Larger spacer block for 3 to 6	er suspension bolts and mod support).	ITIEG SIGE Trames		
Powerstar Only	Over 7 5/8"	Over 7 7/16"	\$	609.75
1 oworotal Omy	thru 8"	thru 8 13/16"	Ψ	000.10
		Over 8 13/16"	\$	1,253.00
	_	thru 10 3/4"		
-		C 1 ' 1 C		
	er suspension bolts and modi support) - Special. Apply fo			
7 1/2 Ton	support) - Special. Apply lo	i laigei tilali 10 3/4		
Powerstar Only	Over 7 1/2"	Over 7 5/16"	\$	870.40
r oworotar Orny	thru 8"	thru 8 13/16"	Ψ	070.10
		Over 8 13/16"	\$	1,253.00
	_	thru 10 1/2"		
9 - 10				
Powerstar Only		Over 7 13/16"	\$	980.45
i owerstar Offiy	_	thru 8 13/16"	Ψ	300.43
		und 0 10/10		
		Over 8 13/16"	\$	1,204.90
	_	thru 10 1/2"		
Extra charge is for longe (Larger spacer block for	er suspension bolts and modi	fied side frames.		
12 - 15	oupporty - opecial.			
Powerstar Only	-	Over 8 13/16"	\$	1,806.85
. Include Offig		thru 10 1/2"	Ψ	1,000.00
Extra charge is for longe	er suspension bolts and modi			
(Larger spacer block for				
	· · ·			

EFFECTIVE: 3-3-25

22) SPECIAL PAINT OR FINISH

LODESTAR/POWERSTAR/XL

Other than standard factory finish, apply for pricing.

APPLY

23a **PATENTED TRACK**

LODESTAR

A. LOW HEADROOM TROLLEY

Standard trolleys up to 2 ton capacity will operate on patented track with 3.33" or 3 1/4" flange widths, but may not negotiate smaller radius curves, switches, interlocks or splice plates.

NOTE:

A rigid lug for a MDT must be used to join hoist to special low headroom trolley.

For operation on 2", 3.33" or 3 1/4" patented track using flat tread wheels (if desired). Add to user list price of low headroom trolley:

CAPACITY	
(TONS)	2" FLANGE
*1	\$1,352.80
2	\$809.00
3	N/A
	3.33" OR 3 1/4" FLANGE
1	\$984.95
2	\$423.80
3	\$216.15

Extra charge is for plain type Motor Driven Trolley (1/8 - 2 Ton) with modified side frames and flat tread trackwheels (customer responsible for counterweighting if required) - Special.

B. SERIES 635 MOTOR DRIVEN TROLLEY

Standard trolleys up to 2 ton capacity will operate on patented track with 3.33" or 3 1/4" flange widths, but may not negotiate smaller radius curves, switches, interlocks or splice plates. Also this trolley is not suitable for operation on Cleveland Tramrail "2100" Rail.

For operation on 2", 3.33" or 3 1/4" patented track using flat tread wheels. Add to user list price of motor driven trolley.

CAP	2" FLANGE
(TONS)	\$675.75
Up to 2	N/A
Up to 2	3.33" OR 3 1/4" FLANGE \$287.90 \$287.90

Extra charge is for modified side frames and flat tread trackwheels (customer responsible for counterweighting if required) - Special

^{*} Requires 2 ton load bracket and MDT lug. Lug must be ordered separately.

EFFECTIVE: 3-3-25

23b PATENTED TRACK - with 3.33" or 3 1/4" flange widths

POWERSTAR/XL

Standard trolleys up to 2 ton will operate on patented track with 3.33" or 3 1/4" flange widths but are not suitable for operation on Cleveland Tramrail "2100" Rail. The 3 thru 5 ton must must be modified in order to operate on patented track with 3.33" or 3 1/4" flange widths, and are not suitable for operation on Cleveland Tramrail "2100" Rail or Louden "Supertrack."

23b <u>PATENTED TRACK</u> - with 3.33" or 3 1/4" flange widths - Cont. <u>POWERSTAR/XL</u>

NOTE: Trolley may not negotiate smaller radius curves, switches, interlocks or

splice plates.

Add to list price of trolley or hoist with trolley

 1.
 Up to 2 ton
 Powerstar and XL
 N/C

 2.
 3 thru 6 ton
 Powerstar Only
 \$ 631.70

Extra charge is for 3 thru 6 ton, includes shorter suspension bolts, modified side frames and flat tread wheels.

24) POWER CORD STRAIN RELIEF

LODESTAR/POWERSTAR/XL

Add \$ 102.00

NOTE: Specify Code 68695 on order.

25a SPECIAL POWER SUPPLIES

LODESTAR

A. HOIST ONLY

Add to user list price of standard 115-1-60 hoist (single speed units only)

Models A thru H, J, L, R & RT

<u>115-1-50</u>	<u>208-1-60</u>	<u>230-1-60</u>	23	0-1-50
\$ 73.00	\$ 73.00	\$ 73.00	\$	73.00

Add to user list price of standard 230/460-3-60 hoist All models single or two speed

<u>575-3-60</u>	208-3-60	<u>380-3-50</u>	230-3-50	3	80-3-60
No Charge	Standard	Standard	Standard	\$	326.00
•	Hoist *	Hoist *	Hoist *		

^{*} No extra charge for special power supply when noted as "Standard Hoist" Please note, however, that hoist motor provided will be 230V or 460V nominal

EFFECTIVE: 3-3-25

ELECTRIC HOISTS AND TROLLEYS

$25 a \, \underline{\textbf{SPECIAL POWER SUPPLIES}} \, \textbf{-} \, \text{Cont}.$

LODESTAR

B. M.D.T. ONLY

Add to user list price of standard motor driven trolley.

<u>115-1-50</u>	208-1-60	230-1-60	<u>230-1-50</u>	38	80-3-60
\$ 73.00	\$73.00	\$ 73.00	\$73.00	\$	326.00

<u>208-3-60</u>	<u>380-3-50</u>	<u>575-3-60</u>	230-3-50
Standard	Standard	\$ 75.00	Standard
Trolley *	Trolley *		Trolley *

^{*} No extra charge for special power supply when noted as "Standard Trolley" Please note, however, that hoist motor provided will be 230V or 460V nominal

25b **POWERSTAR**

A. HOIST ONLY

Add to user list price of hoist

208-3-60	<u>380-3-50</u>	5	75-3-60
Standard	Standard	\$	242.00
Hoist *	Hoist *		

Extra charge is for additional motor, transformer and brake coil if applicable.

B. M.D.T. ONLY

Add to user list price of standard motor driven trolley.

<u>208-3-60</u>	<u>380-3-50</u>	5	75-3-60
Standard	Standard	\$	242.00
Trolley *	Trolley *		

^{*} No extra charge for special power supply when noted as "Standard Hoist" or "Standard Trolley" Please note, however, that hoist or trolley motor provided will be 230V or 460V nominal

26) SPACE HEATERS

LODESTAR/POWERSTAR/XL

Add to user list price of hoist \$ 1,334.00

EFFECTIVE: 3-3-25

27) TROLLEY ACCELERATION CONTROL DEVICE - (SOFT START) (3 PHASE ONLY)

LODESTAR/POWERSTAR/XL

Add to user list price of M.D.T.

\$ 643.35

955.20

Price includes larger control box for mounting acceleration control device and miscellaneous wiring.

28) TROLLEY BALLAST RESISTORS - Set of 3 in a ventilated enclosure for cushioned start of Motor Driven Trolley (3 phase).

LODESTAR/POWERSTAR/XL

Add to list price of trolley. \$

29) TROLLEY GUARDS

LODESTAR

LOW HEADROOM SERIES 635 PUSH TROLLEY

Trolley guards are sections of steel welded to the four ends of the trolley side frames forming bumpers. Side frames must be modified prior to assembly.

Add to list price of Low Headroom Series 635 Push Trolley \$ 175.00

30) TROLLEY TRAVEL LIMIT SWITCHES

LODESTAR/POWERSTAR/XL

Add to list price of trolley \$ 2,319.90

Extra charge is for mounting and wiring two roller type limit switches (one forward, one reverse) to trolley side frame. Customer to fabricate and install actuator on beam or track to trip switches. CM will provide details for fabricating and installing actuators.

31) ADDITIONAL AVAILABLE MOTOR DRIVEN TROLLEY SPEEDS

LODESTAR SERIES 635

		SPEED	ADD TO USER
	CAPACITY	(FPM)	LIST PRICE
	<u>(TONS)</u> 1/8 - 3	15 25	\$ 346.00
	1/8 - 3	25 50	\$ 346.00 \$ 346.00
POWERSTAR/XL		30	φ 540.00
		SPEED	ADD TO USER
	CAPACITY	(FPM)	LIST PRICE
Powerstar and XL	(TONS)	17 1/2	\$ 1,768.95
	1/2 - 2	35	\$ 355.50
		35/17 1/2	\$ 1,768.95
		50	\$ 355.50
		50/25	\$ 1,768.95
		65/32 100/50	\$ 1,768.95 \$ 1,768.95
		150	\$ 668.60
		150/75	\$ 1,768.95 \$ 355.50 \$ 1,768.95 \$ 1,768.95 \$ 1,768.95 \$ 668.60 \$ 1,768.95
Davis ratas Only		47.4/0	ф 4.700.0E
Powerstar Only	3 - 6	17 1/2 25	\$ 1,768.95 \$ 355.50
	3-0	35	\$ 355.50
		50/25	\$ 355.50 \$ 355.50 \$ 1,768.95 \$ 355.50 \$ 1,768.95 \$ 668.60
		65	\$ 355.50
		65/32	\$ 1,768.95
		75	
		75/37	\$ 1,768.95
Powerstar Only		100	\$ 668.60
	3 Ton (Only)	100/50	\$ 1,768.95
		150	\$ 1,039.10
Powerstar Only		17 1/2	\$ 355.50
	7 1/2	25	\$ 355.50 \$ 355.50 \$ 355.50 \$ 1,768.95 \$ 355.50
		35	\$ 355.50
		35/17 1/2 50	\$ 1,768.95
		50/25	\$ 355.50 \$ 1,768.95
Powerstar Only		17 1/2	\$ 355.50
i Owerstai Only	9	35/17 1/2	\$ 1,768.95
	Ŭ	50	\$ 668.60
		50/25	\$ 1,768.95

EFFECTIVE: 3-3-25

31) ADDITIONAL AVAILABLE MOTOR DRIVEN TROLLEY SPEEDS Cont. POWERSTAR/XL Cont.

	CAPACITY	SPEED (FPM)		TO USER ST PRICE
Dowerster Only	(TONS)	17 1/2	\$	355.50
Powerstar Only			•	
	10 & 12	35/17 1/2	\$	1,768.95
		50	\$	668.60
		50/25	\$	1,768.95
Powerstar Only		17 1/2	\$	355.50
·	15	35/17 1/2	\$	1,768.95

32) **TOW BAR**

LODESTAR/POWERSTAR/XL

A tow bar or spacer bar for tandem arrangement of two trolleys on same beam. (Up to 10 ft. - specify distance between hooks)

Add to list price of low headroom or motor driven trolley \$ 1,820.10

33) 3M PHASE SENSING RELAY

LODESTAR (3 Phase Only)

NOTE: Same price for factory installed when ordering Lodestar hoist for

3M Company or for field retrofit kits:

#10001991 for retrofit kit \$ 373.00 V1 (Small Frame) or V2 (Large Frame)

34) **UNDERSIZED BEAMS**

POWERSTAR

TROLLEY OPERATION ON S8 X 18.4 (4" FLANGE) THRU S10 X 35 (5" FLANGE) BEAMS

Add to list price of trolley or hoist with trolley

3 thru 6 Ton \$ 188.80

Extra charge includes shorter suspension bolts and modified side frames.

CM HAND POWER HOISTS

1) <u>CYCLONE ARMY & LOW HEADROOM TROLLEY HOIST W/TROLLEY GUARDS</u> (<u>SPECIAL</u>)

CAPACITY	EXTRA CHAR	RGE
1/4, 1/2 & 1 Ton	\$	127.15
1 1/2 & 2 Ton	\$	257.80
3 & 4 Ton	\$	309.60
5 & 6 Ton	\$	405.45
8, 10 & 12 Ton (Army Only)	\$	531.00

2) <u>CYCLONE ARMY TYPE TROLLEY HOIST - BEYOND STANDARD ADJUSTMENT RANGE (SPECIAL)</u>

CAP.(TONS)	LARGER "S" BEAMS	WF SHAPES	EXTRA CHA	ARGE
1/4, 1/2 & 1	Over 5 1/2"	Over 5 5/16"		
	thru 7 5/8"	thru 7 7/16"	\$	927.65
	Over 7 5/8"	Over 7 7/16"		
	thru 8"	thru 10"	\$	1,883.60
		Over 10"		
		thru 13 5/8"		APPLY
1-1/2 & 2	Over 5 5/8"	Over 5 7/16"	\$	927.65
	thru 8"	thru 7 13/16"		
		Over 7 13/16"	\$	1,217.25
		thru 10 1/2"	Φ	1,217.25
		Over 10 1/2"		
		thru 13 5/8"		APPLY
3 & 4	Over 5 5/8"	Over 5 7/16"	\$	2,749.90
	thru 8"	thru 7 13/16"	Ψ	2,140.00
		Over 7 13/16"	\$	2,749.90
		thru 10 1/2"	Ψ	2,743.30
		Over 10 1/2"		
		thru 13 5/8"		APPLY
5 & 6	Over 6 3/8"	Over 6 3/8"	\$	1,243.70
	thru 8"	thru 8 5/8"		
		Over 8 5/8"	\$	2,749.90
		thru 10 1/2"	φ	2,749.90
		Over 10 1/2"		APPLY
		thru 13 5/8"		AFFLY
8 & 10	-	Over 7 13/16"	\$	2,749.90
		thru 11 13/16"	•	*

EFFECTIVE: 3-3-25

CM HAND POWER HOISTS

3) LOW HEADROOM TROLLEY HOIST

TROLLEY HOISTS - BEYOND STANDARD ADJUSTMENT RANGE (SPECIAL)

CAP.(TONS)	LARGER "S" BEAMS	WF SHAPES	EXTRA CHAF	RGE
1/2 & 1	Over 5" thru 5 1/2"	Over 4 13/16" thru 5 5/16	\$	557.50
1 1/2, 2 & 3	Over 5 1/2" thru 6"	Over 5 5/16" thru 5 13/16"	\$	879.45
4, 5 & 6	Over 7" thru 7 1/2"	Over 6 13/16" thru 7 1/2"	\$	1,319.45

NOTE: Flange widths are maximum obtainable due to trolley side frames hitting

handwheel cover.

4) FLANGE ARMY TYPE TROLLEY HOIST & LOW HEADROOM TROLLEY HOIST - FOR OPERATION ON 3 1/4" OR 3.33" PATENTED TRACK (SPECIAL)

<u>CAPACITY</u>	EXTRA CHA	RGE
1/4 & 1/2 & 1 Ton 1 1/2 & 2 Ton (Army) (Low Headroom Trolley)		Uses Standard Wheels
3, 4, 5 & 6 Ton	APPLY	(Uses flat tread wheels)
8, 10 & 12 Ton	APPLY	

5) CYCLONE & TROLLEY HOIST - UPPER OR LOWER BRONZE HOOK

<u>CAPACITY</u>	EXTRA CH	ARGE
4/4 0 4/0 T	•	0.40.00
1/4 & 1/2 Ton	\$	649.00
1 Ton	\$	1,895.30
1 1/2 & 2 ton	\$	3,832.20
3 ton		APPLY
4 & 5 Ton		APPLY
6 thru 12 Ton		APPLY

XTRA-0325

CM HAND POWER HOISTS

EFFECTIVE: 3-3-25

6) **CYCLONE - EYE TYPE SUSPENSION**

<u>CAPACITY</u>	EXTRA CHARGE	
1/4, 1/2 & 1 Ton	\$	672.50
1 1/2 & 2 Ton	\$	810.55
3 & 4 Ton	\$	832.85
5 Ton	\$	832.85
6 thru 10 Ton		APPLY

XTRA-0325

EFFECTIVE: 3-3-25

CM TROLLEYS

ADD TO USER LIST PRICE OF TROLLEY

1) SERIES 632 TROLLEY BEYOND STANDARD ADJUSTMENT RANGE

CAP. (TC	NS) LARGER "S" BEAMS & WF SHAPES	EXTRA CH	ARGE
1/2 & 1	Over 5 1/6" thru 7 1/2"	\$	80.15
NOTE:	7 1/2" maximum obtainable flange width - extra charge is for longer load bar.		
2	Over 5 5/8" thru 8"	\$	102.05
NOTE:	Extra charge is for a longer load bar reinforced by a support section above the hook seat.		
NOTE:	Flange widths greater than listed above are not available. Refer to Series 633, Series 80 or Series 84 Trolley for those applications.		

2) <u>SERIES 632 TROLLEY OPTIONAL ACCESSORIES</u> <u>TROLLEY GUARDS</u>

Trolley guards are heavy formed lug sections which provide added suspension security.

CODE NO.	<u>CAPACITY</u>	EXTRA CHARGE
3227	1/4 & 1/2 ton	\$ 176.00
3228	1 ton	\$ 176.00
3229	2 ton	\$ 206.00

BUMPERS

Bumpers can be provided where two or more trolleys travel on the same runway or runways with tight radius curves.

	EXTRA CHARGE
1/4 thru 1-ton	\$ 111.90
1-1/2 ton thru 3-ton	APPLY

EFFECTIVE: 3-3-25

LODESTAR - CORROSION RESISTANT EXTRAS ADD TO USER LIST PRICE OF HOIST

1) STAINLESS STEEL LOAD CHAIN *

*THIS MODIFICATION WILL NOT MAKE THE HOIST EXPLOSION OR SPARK PROOF.

Models J thru RRT Not Available

2) MODIFIED LIFTWHEEL & CHAIN GUIDES \$ 533.00 (REQUIRED WITH STAINLESS STEEL LOAD CHAIN)

3) NICLAD PLATED LOAD CHAIN

Add to Regular Chain Price \$ 19.80 per lineal ft. of chain

4) BRONZE UPPER OR LOWER HOOK ONLY (SPECIAL) *

Model A, AA, B, C & F	\$ 772.00
Model E & H	\$ 772.00
Model J, JJ, L & LL	\$ 2,164.00
Model R thru RRT	\$ 4,457.00

5) STAINLESS STEEL UPPER OR LOWER HOOK ONLY (SPECIAL) *

Model A, AA, B, C & F	\$ 952.00
Model E & H	\$ 952.00
Model J, JJ, L & LL	\$ 1,487.00
Model R thru RRT	Apply

6) STAINLESS STEEL HOOK BLOCK ONLY

Model A, AA, B, C & F	\$ 1,327.00
Model E & H	\$ 2,257.00
Model J, JJ, L & LL	\$ 2,634.00
Model R thru RRT	Not Available

7) NICLAD OR ZINC PLATED LOWER HOOK AND BLOCK

1 - Part	\$ 584.00
2 - Part and 3 - Part	\$ 584.00

STAINLESS STEEL LOAD CHAIN PRICING PROCEDURE

Hoist Requirement - Series 627 - Model E - 3 Phase

Lift - 22 ft.

P.B. Drop - In Proportion Load Chain - Stainless Steel

EXAMPLE:

- \$ 4,499.00 Hoist Only/Code No. 2745 10 ft. Lift
- \$ 126.00 Extra Control Cord (12 ft. @ \$10.50/ft.)
- \$ 564.00 Extra Lift Standard Chain (12 ft. @ \$47.00 /ft. of lift)
- \$ 533.00 Extra for Modified Liftwheel and Chain Guides
- \$ 2,010.80 Extra for Stainless Steel Chain (22 ft. @ \$91.40 /ft. of lift)
- \$ 7,732.80 TOTAL USER LIST

CONDUCTIX / INSUL-8 (NEMA 4X) CONTROL STATIONS

DESCRIPTION	CODE NO.	LIST PRICE
2-BUTTON PISTOL GRIP, 1-SPEED / BLACK	58272	\$ 402.29
2-BUTTON PISTOL GRIP 2-SPEED / BLACK	58273	\$ 712.08
2-BUTTON PISTOL GRIP 3-SPEED / BLACK	58296	\$ 849.29
4-BUTTON 1-SPEED HOIST, 1-SPEED TROLLEY / BLACK	58219CM	\$ 1,074.10
4-BUTTON 2-SPEED HOIST, 1-SPEED TROLLEY / BLACK	58220CM	\$ 1,212.22
4-BUTTON 2-SPEED HOIST, 2-SPEED TROLLEY / BLACK	58222CM	\$ 1,212.22
6-BUTTON 1-SPEED HOIST, TROLLEY & BRIDGE / YELLOW	58249	\$ 1,639.16
6-BUTTON 2-SPEED HOIST,1-SPEED TROLLEY & BRIDGE / YELLOW	58250	\$ 2,660.28
6-BUTTON ON/OFF,1-SPEED HOIST & TROLLEY / YELLOW	58252	\$ 1,827.29
8-BUTTON ON/OFF,1-SPEED HOIST,TROLLEY.& BRIDGE / YELLOW	58251	\$ 2,391.68
CONTROL STATION GROMMET(.5265 DIA. CORD)	58278	\$ 41.23
2-BUTTON SINGLE SPEED INSERT	58255	\$ 125.42
MAINTAINED ON/OFF INSERT	58257	\$ 229.25
2-BUTTON 2-SPEED INSERT	58256	\$ 250.25
PUSH/PULL SWITCH INSERT (MUSHROOM)	58261	\$ 306.59
120 VOLT PILOT LIGHT	58258	\$ 177.15
2-BUTTON REPAIR KIT (EXT.SCREWS & GASKET)	58275	\$ 25.45
WARNING LABEL KIT (5 EXTERIOR LABELS)	58276	\$ 25.85
BUTTON LABEL KIT (PLASTIC INSERTS W/LEGENDS)	58277	\$ 71.35
4-BUTTON REPAIR KIT (COVER SCREWS AND GASKET)	58279	\$ 27.69
4-BUTTON ENCLOSURE KIT (HOUSING LESS INSERTS)	58288	\$ 577.60
BLANK HOLE PLUG INSERT	58254	\$ 44.47
3-SPEED 2-BUTTON INSERT	57803	\$ 811.06
MOMENTARY ON/OFF INSERT	58262	\$ 238.45
2-POSITION SELECTOR SWITCH	58351	\$ 357.65
3-POSITION SELECTOR SWITCH	58253	\$ 416.09

BULLARD HOOKS

		LOWER HOOK				UPPER HOOK		
CAPACITY	CM	BULLARD		USER	CM BULLARD			USER
OR MODEL	CODE	SIZE & TYPE		NET	CODE	SIZE & TYPE		NET
		PL	JLLE	R MODEL	. В	•		
3/4	40839	4-0-1/4	\$	649.00	40844	4-D-1	\$	1,221.00
1 1/2	40840	5-0-5/16	\$	802.00	40845	5-K-2	\$	861.00
3	40826	6-K-1	\$	1,487.00	40863	6-K-1	\$	1,460.00
6	+40843	9-K-1	F	P.O.A.	68701	9-K-1		P.O.A.
		SHOR	T HA	ANDLE PU	ILLER			
3/4	40839	4-0-1/4	\$	649.00	*40839 (739S)		\$	1,153.00
1 1/2	40840	5-O-5/16	\$	802.00	*40840 (802S)	5-O-5/16	\$	832.00
3	40826	6-K-1	\$	1,487.00	40826	6-K-1	\$	1,487.00
		ble with Anchor S	-		miter.			
		Sling and Load Li						
* Note 1 1/2 ton	Upper only avai	lable with Anchor		-		nchor Sling		
				NE MODE				
1/4, 1/2	40839		\$	649.00	45777		\$	1,662.00
1	40840	5-O-5/16	\$	802.00	45778			P.O.A.
1 1/2. 2	45776	7-O-3/8		1,732.00	+45779			P.O.A.
3, 4	+45754	9-K-1		P.O.A.	+45753			P.O.A.
5	+45755	9-K-1		⊃.O.A.	+45755			P.O.A.
6	68701	9-K-1		⊃.O.A.	68701			P.O.A.
8	+45758			⊃.O.A.	+45758			P.O.A.
10	+45759	14-K-1		P.O.A.	+45759	14-K-1		P.O.A.
_	_	_		DESTAR	_			
A,AA,B,C,F	40839		\$	649.00	40839		\$	649.00
E, H	28757	5-K-2	\$	979.00	+28759			P.O.A.
J, L	40840	5-0-5/16	\$	802.00	35860		\$	2,104.00
R	35859	7-K-2		1,724.00	35859		\$	1,724.00
JJ, LL	+36807	5-K-1		P.O.A.	+35860		\$	2,104.00
RR	35859			1,724.00	35859		\$	1,724.00
		to Shock Absor						
	use F	look Code +368			RT, RRT - I	P.O.A.		
				ETEOR				
2 PART	+68874			P.O.A.				
4 PART	68700			2,539.00				
6 PART	68701	9-K-1		2,594.00				
0.0.0.	70000			VERSTAR				
2 & 3 TON	70398	9-K	\$	1,910.00				
0.7011	0=0==	7160	•	XL		T	1	D 0 :
2 TON	35859			1,724.00	+52773		_	P.O.A.
3 - 6 TON	52774	9-K	\$	5,812.00	52774	9-K	\$	5,812.00

Note: Units - Add to User List Price of Hoist

⁺ Check Stock - Codes are pending obsolescence and may not be available, or may require special order which could affect price.

CLASSIC CLEAN ROOM LODESTAR STANDARD PART NUMBERS

		Lift Speed	Chain Lift	Control Cord Length	Capacity		
Part Number	Model	(FPM)	(Ft.)	(Ft.)	(Tons)	Power Supply	List Price
2722/2788CR10	В	16	10	6	1/4	115-1-60	\$8,359.00
2722/2788CR15	В	16	15	11	1/4	115-1-60	\$8,844.00
2722/2788CR20	В	16	20	16	1/4	115-1-60	\$9,330.00
2725/2788CR10	В	16	10	6	1/4	460/230-3-60	\$8,359.00
2725/2788CR15	В	16	15	11	1/4	460/230-3-60	\$8,844.00
2725/2788CR20	В	16	20	16	1/4	460/230-3-60	\$9,330.00
2752/2788CR10	F	16	10	6	1/2	115-1-60	\$8,941.00
2752/2788CR15	F	16	15	11	1/2	115-1-60	\$9,430.00
2752/2788CR20	F	16	20	16	1/2	115-1-60	\$9,914.00
2755/2788CR10	F	16	10	6	1/2	460/230-3-60	\$8,941.00
2755/2788CR15	F	16	15	11	1/2	460/230-3-60	\$9,430.00
2755/2788CR20	F	16	20	16	1/2	460/230-3-60	\$9,914.00
2762/2789CR10	Н	8	10	6	1	115-1-60	\$10,343.00
2762/2789CR15	Н	8	15	11	1	115-1-60	\$11,264.00
2762/2789CR20	Н	8	20	16	1	115-1-60	\$12,181.00
2765/2789CR10	Н	8	10	6	1	460/230-3-60	\$10,343.00
2765/2789CR15	Н	8	15	11	1	460/230-3-60	\$11,264.00
2765/2789CR20	Н	8	20	16	1	460/230-3-60	\$12,181.00

Model B & F Clean Room Hoists include:

Stainless Steel Load Chain Lubriplate FP-150 Load Chain Lubrication Modified Liftwheel & Chain Guides

Stainless Steel Hook Block for 1 Pt Reeving

Stainless Steel Lower Hook Stainless Steel Upper Hook

FDA Approved White Epoxy Powder-Coat

Weatherproofing

Model H Clean Room Hoists include:

Stainless Steel Load Chain Lubriplate FP-150 Load Chain Lubrication Modified Liftwheel & Chain Guides Stainless Steel Hook Block for 2 Pt Reeving Stainless Steel Lower Hook Stainless Steel Upper Hook FDA Approved White Epoxy Powder-Coat Weatherproofing

Separate Stainless Steel Hook Suspensions with White Powder Coat Finish

CM Code			
Number	Models Used On	Hook Type	List Price
2788SS	B,F	Rigid	\$1,037.00
2789SS	Н	Rigid	\$1,098.00

Stainless Steel Chain Containers (Unfinished)

CM Code		
Number	Model / Maximum Lift	List Price
2450SS	B & F with 10 Ft. Lift	\$1,177.00
2451SS	B & F with 20 Ft. Lift, H with 10 Ft. Lift	\$1,177.00

NEXT GENERATION CLEAN ROOM LODESTAR STANDARD PART NUMBERS

		Lift Speed	Chain Lift	Control Cord Length	Capacity		
Part Number	Model	(FPM)	(Ft.)	(Ft.)	(Tons)	Power Supply	List Price
2722NHCR10	В	16	10	6	1/4	115-1-60	\$8,090.00
2722NHCR15	В	16	15	11	1/4	115-1-60	\$8,559.00
2722NHCR20	В	16	20	16	1/4	115-1-60	\$9,027.00
2725NHCR10	В	16	10	6	1/4	460/230-3-60	\$8,090.00
2725NHCR15	В	16	15	11	1/4	460/230-3-60	\$8,559.00
2725NHCR20	В	16	20	16	1/4	460/230-3-60	\$9,027.00
2752NHCR10	F	16	10	6	1/2	115-1-60	\$8,652.00
2752NHCR15	F	16	15	11	1/2	115-1-60	\$9,119.00
2752NHCR20	F	16	20	16	1/2	115-1-60	\$9,589.00
2755NHCR10	F	16	10	6	1/2	460/230-3-60	\$8,652.00
2755NHCR15	F	16	15	11	1/2	460/230-3-60	\$9,119.00
2755NHCR20	F	16	20	16	1/2	460/230-3-60	\$9,589.00
2762NHCR10	Н	8	10	6	1	115-1-60	\$10,003.00
2762NHCR15	Н	8	15	11	1	115-1-60	\$10,890.00
2762NHCR20	Н	8	20	16	1	115-1-60	\$11,779.00
2765NHCR10	Н	8	10	6	1	460/230-3-60	\$10,003.00
2765NHCR15	Н	8	15	11	1	460/230-3-60	\$10,890.00
2765NHCR20	Н	8	20	16	1	460/230-3-60	\$11,779.00

Model B & F Clean Room Hoists include: Model H Clean Room Hoists include:

Stainless Steel Load Chain Lubriplate FP-150 Load Chain Lubrication Modified Liftwheel & Chain Guides Stainless Steel Hook Block for 1 Pt Reeving

Stainless Steel Lower Hook Stainless Steel Upper Hook

FDA Approved White Epoxy Powder-Coat

Weatherproofing

Stainless Steel Load Chain

Lubriplate FP-150 Load Chain Lubrication Modified Liftwheel & Chain Guides

Stainless Steel Hook Block for 2 Pt Reeving

Stainless Steel Lower Hook Stainless Steel Upper Hook

FDA Approved White Epoxy Powder-Coat

Weatherproofing

Separate Stainless Steel Hook Suspensions with White Powder Coat Finish

	Models Used		
CM Code Number	On	Hook Type	List Price
2788NHSS	B,F	Rigid	\$988.00
2789NHSS	Н	Rigid	\$1,050.00

Stainless Steel Chain Containers (Unfinished)

CM Code Number	Model / Maximum Lift	List Price
2450SS	B & F with 10 Ft. Lift	\$1,177.00
2451SS	B & F with 20 Ft. Lift, H with 10 Ft. Lift	\$1,177.00